

Note Language: English

Version: 17 Validity: Valid Since 20.08.2012

Summary**Symptom**

The company Toshiba TEC is member of the SAP Printer Vendor program and offers within this program support for the printer model / device type pairs listed below.

For general information about the SAP Printer Vendor program please check note 1130927.

The printer model / device type combinations are visible in the newest data version of the "device type wizard". Please read note 1036961 for a description how to use the device type wizard and how to select one of the combinations shown below.

The device types are delivered as attachments to this note. Please download the files and proceed with the installation as described in note 1103422.

Certain features of the device types become active only with the following releases and support package levels:

Additional print options: (see note 1049778)

SAP_BASIS 6.20 SP63 and higher

SAP_BASIS 6.40 SP21 and higher

SAP_BASIS 7.00 SP14 and higher

SAP_BASIS 7.10 standard

Status feedback with SNMP:

SAP_BASIS 7.00 Enh1 and higher

SAP_BASIS 7.10 Enh1 and higher

Other terms

SPAD , device type , SAP Printer Vendor program

Reason and Prerequisites**Solution****Supported Printer model/ device type combinations:**

ID	/ Printer model	/ device type	/ character set	/ version
[001]	/ e-STUDIO6530C Series	/ TT6CI11.PRI	/ ISO1	/ 1.1
[002]	/ e-STUDIO4520C Series	/ TT4EI11.PRI	/ ISO1	/ 1.1
[003]	/ e-STUDIO455 Series	/ TT4PI11.PRI	/ ISO1	/ 1.1
[004]	/ e-STUDIO855 Series	/ TT8NI11.PRI	/ ISO1	/ 1.1
[005]	/ e-STUDIO6530C Series	/ TT6CI21.PRI	/ ISO2	/ 1.1
[006]	/ e-STUDIO4520C Series	/ TT4EI21.PRI	/ ISO2	/ 1.1
[007]	/ e-STUDIO455 Series	/ TT4PI21.PRI	/ ISO2	/ 1.1
[008]	/ e-STUDIO855 Series	/ TT8NI21.PRI	/ ISO2	/ 1.1
[009]	/ e-STUDIO262CP 263CS	/ TTC2I11.PRI	/ ISO1	/ 1
[010]	/ e-STUDIO382P 332P	/ TTM3I11.PRI	/ ISO1	/ 1
[011]	/ e-STUDIO223CS 222CS 222CP	/ TTD2I11.PRI	/ ISO1	/ 1
[012]	/ e-STUDIO6550C Series	/ TT6DI11.PRI	/ ISO1	/ 1

```

[013] / e-STUDIO4540C Series / TT4FI11.PRI / ISO1 / 1
[014] / e-STUDIO6550C Series / TT6DI21.PRI / ISO2 / 1
[015] / e-STUDIO4540C Series / TT4FI21.PRI / ISO2 / 1
[016] / e-STUDIO263CS / TTD2JA1.PRI / JAPANESE / 1
[017] / e-STUDIO456 Series / TT4QI11.PRI / ISO1 / 1
[018] / e-STUDIO856 Series / TT8OI11.PRI / ISO1 / 1
[019] / e-STUDIO456 Series / TT4QI21.PRI / ISO2 / 1
[020] / e-STUDIO856 Series / TT8OI21.PRI / ISO2 / 1
[021] / e-STUDIO332S / TTN3I11.PRI / ISO1,2,5,7,9 / 1
[022] / e-STUDIO403S / TTM4I11.PRI / ISO1,2,5,7,9 / 1
[023] / e-STUDIO2550C Series / TT2CI11.PRI / ISO1 / 1
[024] / e-STUDIO2550C Series / TT2CI21.PRI / ISO2 / 1
* e-STUDIO6530C Series: e-STUDIO5520C/6520C/6530C
* e-STUDIO4520C Series: e-STUDIO2020C/2330C/2820C/2830C/
3520C/3530C/4520C/3520Ci
* e-STUDIO455 Series: e-STUDIO205L/255/305/355/455/
305S/355S/455S/305SD/355SD/455SD
* e-STUDIO855 Sreies: e-STUDIO555/655/755/855
* e-STUDIO6550C Series: e-STUDIO5540C/6540C/6550C
* e-STUDIO4540C Series: e-STUDIO2040C/2540C/3040C/3540C/4540C
* e-STUDIO456 Series: e-STUDIO206L/256/306/356/456
* e-STUDIO856 Sreies: e-STUDIO556/656/756/856
* e-STUDIO2550C Series: e-STUDIO2050C/2550C
* ISO1: Latin 1, ISO2: Latin 2.
* ISO5: Cyrillic, ISO7: Greek, ISO9: Turkey.

```

Note: Label Printers

Currently TOSHIBA TEC has no plan to develop the device type files for label printers. Please ask your sales/service engineer for details.

Note: Hold Print

To use the "Hold Print" function in e-STUDIO5520C/6520C/6530C, the system ROM version should be T430SY0*200 or later.

To use the "Hold Print" function in e-STUDIO2020C/2330C/2820C/2830C/3520C/3530C/4520C/3520Ci, the system ROM version should be T450SY0*201 or later.

The device type files [001] TT6CI11.PRI, [002] TT4EI11.PRI, [005] TT6CI21.PRI, [006] TT4EI21.PRI do not contain an entry for "Hold Print". If you want to use the "Hold Print" function, please follow the instructions below:

- In "Printer Initialization" screen, find a line @PJL COMMENT DSSC PRINT PRINTMODE=NORMAL and change the value from "NORMAL" to "HOLD".

Details:

<Supported features>

[001] e-STUDIO5520C/6520C/6530C

TT6CI11.PRI

[PDL]: PCL

[Scripts/Languages]: ISO1 (Latin 1)

[Graphics]: Yes

[OCR]: No

[Printer-resident bar code]: No

[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL

[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Upper exit tray, Side exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[002] e-STUDIO2020C/2330C/2820C/2830C/3520C/3530C/4520C/3520Ci
TT4EI11.PRI
[PDL]: PCL
[Scripts/Languages]: ISO1 (Latin 1)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4

Output tray: Tray 1, *Tray 2, Inner Tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,
Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right , Bottom
Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin
color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin
color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[003] e-STUDIO205L/255/305/355/455/305S/355S/455S/305SD/355SD/455SD
TT4PI11.PRI
[PDL]: PCL
[Scripts/Languages]: ISO1 (Latin 1)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray, Job Separator Upper, Job
Separator Lower
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,
Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right , Bottom
Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes

[004] e-STUDIO555/655/755/855
TT8NI11.PRI
[PDL]: PCL
[Scripts/Languages]: ISO1 (Latin 1)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes

[005] e-STUDIO5520C/6520C/6530C
TT6CI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Upper exit tray, Side exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes

Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[006] e-STUDIO2020C/2330C/2820C/2830C/3520C/3530C/4520C/3520Ci
TT4EI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04

Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[007] e-STUDIO205L/255/305/355/455/305S/355S/455S/305SD/355SD/455SD
TT4PI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray, Job Separator Upper, Job
Separator Lower
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,
Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom
Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes

[008] e-STUDIO555/655/755/855
TT8NI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort

Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes

[009] e-STUDIO262CP/263CS
TTC2I11.PRI
[Supported languages]: ISO1 (Latin 1)
[PDL]: PCL
[Paper sizes]: A4,A5, LETTER, EXECUTIVE, LEGAL
[Printer Type]: Color LED Printer
[POSS (Additional print options)]
Input trays:
Double-sided Printing:
Print in color:
Password protection:
[Printer-resident bar code]:
-ARTNR, AUFNR, BARCLVS, BC_C128B, BC_CD39, BC_CD39C, BC_EAN8, BC_EAN13, BC_EANH, BC_I25, BC_I25C, BC_PSN5, BC_PSN9, BC_PSN11, C128A_00, C128A_01, C128B_00, C128B_01, CD39C_00, CD39C_01, CD39__00, CD39__01, KUNAUNR, KUNAUPS, MBBARC, MBBARC1, RSNUM, RSPOS and RUECKNR are supported without additional hardware.
-BC_93, BC_MSI, BC_MSIC, MC_MSIC1 and MC_MSIC2 are NOT supported
[SNMP Job status feedback]:
- All models with network connection are supported. Status feedback is limited to Pending, Processing, Completed or Unknown. No additional information is displayed regarding conditions requiring user intervention on the device, e.g. Paper Out or manual feed request.

[010] e-STUDIO382P/332P
TTM3I11.PRI
[Supported languages]: ISO1(Latin 1)
[PDL]: PCL
[Paper sizes]: A4,A5, LETTER, EXECUTIVE, LEGAL
[Printer Type]: Monochrome LED Printer
[POSS (Additional print options)]
Input trays:
Double-sided Printing:
[Printer-resident bar code]:
-ARTNR, AUFNR, BARCLVS, BC_C128B, BC_CD39, BC_CD39C, BC_EAN8, BC_EAN13, BC_EANH, BC_I25, BC_I25C, BC_PSN5, BC_PSN9, BC_PSN11, C128A_00, C128A_01, C128B_00, C128B_01, CD39C_00, CD39C_01, CD39__00, CD39__01, KUNAUNR, KUNAUPS, MBBARC, MBBARC1, RSNUM, RSPOS and RUECKNR are supported without additional hardware.
-BC_93, BC_MSI, BC_MSIC, MC_MSIC1 and MC_MSIC2 are NOT supported
[SNMP Job status feedback]:

- All models with network connection are supported. Status feedback is limited to Pending, Processing, Completed or Unknown. No additional information is displayed regarding conditions requiring user intervention on the device, e.g. Paper Out or manual feed request.

[011] e-STUDIO223CS/222CS/222CP

TTD2I11.PRI

[Supported languages]: ISO1(Latin 1)

[PDL]: PCL

[Paper sizes]: A4,A5, LETTER, EXECUTIVE, LEGAL

[Printer Type]: Color LED Printer

[POSS (Additional print options)]

Input trays:

Double-sided Printing:

Print in color:

[Printer-resident bar code]:

-ARTNR, AUFNR, BARCLVS, BC_C128B, BC_CD39, BC_CD39C, BC_EAN8, BC_EAN13, BC_EANH, BC_I25, BC_I25C, BC_PSN5, BC_PSN9, BC_PSN11, C128A_00, C128A_01, C128B_00, C128B_01, CD39C_00, CD39C_01, CD39__00, CD39__01, KUNAUNR, KUNAUPS, MBBARC, MBBARC1, RSNUM, RSPOS and RUECKNR are supported without additional hardware.

-BC_93, BC_MSI, BC_MSIC, MC_MSIC1 and MC_MSIC2 are NOT supported

[SNMP Job status feedback]:

- All models with network connection are supported. Status feedback is limited to Pending, Processing, Completed or Unknown. No additional information is displayed regarding conditions requiring user intervention on the device, e.g. Paper Out or manual feed request.

[012] e-STUDIO5540C/6540C/6550C

TT6DI11.PRI

[PDL]: PCL

[Scripts/Languages]: ISO1 (Latin 1)

[Graphics]: Yes

[OCR]: No

[Printer-resident bar code]: No

[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL

[Color]: Yes

[Input trays]: Yes (See [POSS] section for details.)

[SNMP Job status feedback]: No

[POSS (Print Options for SAPScripts and Smartforms)]

* denotes the default value in the device type file

Print Mode: *Normal, Proof, Private, Hold

Collate: *Sort, Group, Rotated Sort

Duplex: *None, Long Edge, Short Edge

Orientation: *Portrait, Landscape

Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF

Output tray: Tray 1, *Tray 2, Upper exit tray, Side exit tray

Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation

Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double

User login: Yes

Department code: Yes (5 digit numbers)

Number of copies: 1-9999

Booklet: Yes

Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[013] e-STUDIO2040C/2540C/3040C/3540C/4540C

TT4FI11.PRI

[PDL]: PCL

[Scripts/Languages]: ISO1 (Latin 1)

[Graphics]: Yes

[OCR]: No

[Printer-resident bar code]: No

[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL

[Color]: Yes

[Input trays]: Yes (See [POSS] section for details.)

[SNMP Job status feedback]: No

[POSS (Print Options for SAPScripts and Smartforms)]

* denotes the default value in the device type file

Print Mode: *Normal, Proof, Private, Hold

Collate: *Sort, Group, Rotated Sort

Duplex: *None, Long Edge, Short Edge

Orientation: *Portrait, Landscape

Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4

Output tray: Tray 1, *Tray 2, Inner Tray

Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,

Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation

Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom

Right, Top, Bottom, Center Double

User login: Yes

Department code: Yes (5 digit numbers)

Number of copies: 1-999

Booklet: Yes

Font pitch: Yes

Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW

Image quality type: *Normal, Photo, Presentation, Lineart

Halftone: *Auto, Smooth, Detail

Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04

Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04

Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04

Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04

Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04

Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[014] e-STUDIO5540C/6540C/6550C
TT6DI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Upper exit tray, Side exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[015] e-STUDIO2040C/2540C/3040C/3540C/4540C

TT4FI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,
Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom
Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin
color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin
color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

[016] e-STUDIO263CS
TTD2JA1.PRI
[Supported languages]: Japanese (SJIS)
[PDL]: PCL
[Paper sizes]: A4,A5, LETTER, EXECUTIVE, LEGAL, JPHAGAKI
[Printer Type]: Color LED Printer
[POSS (Additional print options)]
Input trays:
Double-sided Printing:
Print in color:
Password protection:
[Printer-resident bar code]:

-ARTNR, AUFNR, BARCLVS, BC_C128B, BC_CD39, BC_CD39C, BC_EAN8, BC_EAN13, BC_EANH, BC_I25, BC_I25C, BC_PSN5, BC_PSN9, BC_PSN11, C128A_00, C128A_01, C128B_00, C128B_01, CD39C_00, CD39C_01, CD39__00, CD39__01, KUNAUNR, KUNAUPS, MBBARC, MBBARC1, RSNUM, RSPOS and RUECKNR are supported without additional hardware.

-BC_93, BC_MSI, BC_MSIC, MC_MSIC1 and MC_MSIC2 are NOT supported
[SNMP Job status feedback]:

- All models with network connection are supported. Status feedback is limited to Pending, Processing, Completed or Unknown. No additional information is displayed regarding conditions requiring user intervention on the device, e.g. Paper Out or manual feed request.

[017] e-STUDIO206L/256/306/356/456

TT4QI11.PRI

[PDL]: PCL

[Scripts/Languages]: ISO1 (Latin 1)

[Graphics]: Yes

[OCR]: No

[Printer-resident bar code]: No

[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL

[Color]: Yes

[Input trays]: Yes (See [POSS] section for details.)

[SNMP Job status feedback]: No

[POSS (Print Options for SAPScripts and Smartforms)]

* denotes the default value in the device type file

Print Mode: *Normal, Proof, Private, Hold

Collate: *Sort, Group, Rotated Sort

Duplex: *None, Long Edge, Short Edge

Orientation: *Portrait, Landscape

Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4

Output tray: Tray 1, *Tray 2, Inner Tray, Job Separator Upper, Job

Separator Lower

Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,

Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation

Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom

Right, Top, Bottom, Center Double

User login: Yes

Department code: Yes (5 digit numbers)

Number of copies: 1-999

Booklet: Yes

Font pitch: Yes

[018] e-STUDIO556/656/756/856

TT8OI11.PRI

[PDL]: PCL

[Scripts/Languages]: ISO1 (Latin 1)

[Graphics]: Yes

[OCR]: No

[Printer-resident bar code]: No

[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL

[Color]: Yes

[Input trays]: Yes (See [POSS] section for details.)

[SNMP Job status feedback]: No

[POSS (Print Options for SAPScripts and Smartforms)]

* denotes the default value in the device type file

Print Mode: *Normal, Proof, Private, Hold

Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes

[019] e-STUDIO206L/256/306/356/456
TT4QI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray, Job Separator Upper, Job Separator Lower
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes

[020] e-STUDIO556/656/756/856
TT8O21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)

[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4, External LCF
Output tray: Tray 1, *Tray 2, Exit tray
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-9999
Booklet: Yes
Font pitch: Yes

[021] e-STUDIO332S
TTN3I11.PRI
[Supported languages]: Latin1 (ISO1), Latin2 (ISO2), Cyrillic (ISO5), Greek (ISO7), Turkey (ISO9)
[PDL]: PCL
[Paper sizes]: A4,A5, LETTER, EXECUTIVE, LEGAL
[Printer Type]: Monochrome LED Printer
[POSS (Additional print options)]
Input trays:
Double-sided Printing:
[Printer-resident bar code]:
-ARTNR, AUFNR, BARCLVS, BC_C128B, BC_CD39, BC_CD39C, BC_EAN8, BC_EAN13, BC_EANH, BC_I25, BC_I25C, BC_PSN5, BC_PSN9, BC_PSN11, C128A_00, C128A_01, C128B_00, C128B_01, CD39C_00, CD39C_01, CD39__00, CD39__01, KUNAUNR, KUNAUPS, MBBARC, MBBARC1, RSNUM, RSPOS and RUECKNR are supported without additional hardware.
-BC_93, BC_MSI, BC_MSIC, MC_MSIC1 and MC_MSIC2 are NOT supported
[SNMP Job status feedback]:
- All models with network connection are supported. Status feedback is limited to Pending, Processing, Completed or Unknown. No additional information is displayed regarding conditions requiring user intervention on the device, e.g. Paper Out or manual feed request.

[022] e-STUDIO403S
TTM4I11.PRI
[Supported languages]: Latin1 (ISO1), Latin2 (ISO2), Cyrillic (ISO5), Greek (ISO7), Turkey (ISO9)
[PDL]: PCL
[Paper sizes]: A4,A5, LETTER, EXECUTIVE, LEGAL
[Printer Type]: Monochrome LED Printer
[POSS (Additional print options)]
Input trays:
Double-sided Printing:
Password protection:
[Printer-resident bar code]:

-ARTNR, AUFNR, BARCLVS, BC_C128B, BC_CD39, BC_CD39C, BC_EAN8, BC_EAN13, BC_EANH, BC_I25, BC_I25C, BC_PSN5, BC_PSN9, BC_PSN11, C128A_00, C128A_01, C128B_00, C128B_01, CD39C_00, CD39C_01, CD39__00, CD39__01, KUNAUNR, KUNAUPS, MBBARC, MBBARC1, RSNUM, RSPOS and RUECKNR are supported without additional hardware.

-BC_93, BC_MSI, BC_MSIC, MC_MSIC1 and MC_MSIC2 are NOT supported
[SNMP Job status feedback]:

- All models with network connection are supported. Status feedback is limited to Pending, Processing, Completed or Unknown. No additional information is displayed regarding conditions requiring user intervention on the device, e.g. Paper Out or manual feed request.

[023] e-STUDIO2050C/2550C
TT2CI11.PRI
[PDL]: PCL
[Scripts/Languages]: ISO1 (Latin 1)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray, Job Separator Upper, Job Separator Lower
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation, Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes

Pure gray: Yes
Black overprint: Yes

[024] e-STUDIO2050C/2550C
TT2CI21.PRI
[PDL]: PCL
[Scripts/Languages]: ISO2 (Latin 2)
[Graphics]: Yes
[OCR]: No
[Printer-resident bar code]: No
[Paper sizes]: DIN A3, DIN A4, DIN A5, LETTER, LEGAL
[Color]: Yes
[Input trays]: Yes (See [POSS] section for details.)
[SNMP Job status feedback]: No
[POSS (Print Options for SAPScripts and Smartforms)]
* denotes the default value in the device type file
Print Mode: *Normal, Proof, Private, Hold
Collate: *Sort, Group, Rotated Sort
Duplex: *None, Long Edge, Short Edge
Orientation: *Portrait, Landscape
Input Tray: *Auto, Bypass Tray, Drawer 1, Drawer 2, LCF, Drawer 3, Drawer 4
Output tray: Tray 1, *Tray 2, Inner Tray, Job Separator Upper, Job
Separator Lower
Hole punch: *None, Long Edge without Rotation, Short Edge without Rotation,
Long Edge with 180 degree Rotation, Short Edge with 180 degree Rotation
Stapling: *None, Top Left, Left, Bottom Left, Top Right, Right, Bottom
Right, Top, Bottom, Center Double
User login: Yes
Department code: Yes (5 digit numbers)
Number of copies: 1-999
Booklet: Yes
Font pitch: Yes
Color: Color, Grayscale, *Auto, Twin color - 2KR, Twin color - 2KG, Twin
color - 2KB, Twin color - 2KC, Twin color - 2KM, Twin color - 2KY, Twin
color - 2KW
Image quality type: *Normal, Photo, Presentation, Lineart
Halftone: *Auto, Smooth, Detail
Color Balance - Cyan: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Magenta: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Yellow: FC, FD, FE, FF, *00, 01, 02, 03, 04
Color Balance - Black: FC, FD, FE, FF, *00, 01, 02, 03, 04
Sharpness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Brightness: FC, FD, FE, FF, *00, 01, 02, 03, 04
Contrast: FC, FD, FE, FF, *00, 01, 02, 03, 04
Saturation: FC, FD, FE, FF, *00, 01, 02, 03, 04
Background adjustment: FC, FD, FE, FF, *00, 01, 02, 03, 04
Pure black: Yes
Pure gray: Yes
Black overprint: Yes

Revision History

[05 August 2011]
- Updated device typefiles [001], [002], [003], [004], [005], [006], [007],
[008] to Version 1.1.

- Fixed paper size issue in ABAP printing.

[02 April 2012]

- Added device type files [017], [018], [019], [020] (Version 1).

[20 August 2012]

- Added device type files [023], [024] (Version 1).

Header Data

SAP Note No.:	1135105
Note Language:	English
Master Language:	English
Version:	17
Valid Since:	20.08.2012
Release Status:	For Checking
Released on:	20.08.2012 06:20:24
Released by:	Masateru Mitani
Priority:	Recommendations/additional info
Author:	Masateru Mitani
Entered by:	Christian Hansen
Processed by:	Pooja Jadhav
Last Changed by:	Masateru Mitani
On:	21.08.2012 08:12:34
Category:	Special development
Standard Note:	No
Primary Component:	BC-CCM-PRN-PVP-TT SAP Printer Vendor program: Toshiba TEC
Secondary Components:	BC-CCM-PRN-DVM Printer Administration

The Note is release-independent

Attachments



File Type	File Name	Language	Size
ZIP	TOSHIBA_TEC_DevTyps.ZIP	E	1.249 KB